

SEQUENCE LISTING

```

5      <110> Bristol-Myers Squibb Pharma Company;
        Priestly, et al.

      <120> Novel Lactam Inhibitors of Hepatitis C Virus
        NS3 Protease

10     <130> PH-7087-A

      <150> US 09/626,286
      <151> 2000-07-25

      <160> 8

15     <170> PatentIn version 3.1

      <210> 1
      <211> 6
20     <212> PRT
      <213> Artificial Sequence

      <220>
      <223> The synthesis of this peptide may be performed on an
25     ABI 43A peptide synthesizer using readily available
        materials well known to ordinarily skilled artisans

      <220>
      <221> ACT_SITE
30     <222> (1)..(1)
      <223>

      <220>
      <221> misc_feature
35     <222> (3)..(3)
      <223> diphenylalanine

      <220>
      <221> misc_feature
40     <222> (5)..(5)
      <223> cyclohexylalanine

      <400> 1

45     Asp Glu Xaa Glu Xaa Cys
        1             5

      <210> 2
      <211> 6
50     <212> PRT
      <213> Artificial Sequence

      <220>

```

10010154-120601

```

    <223> The synthesis of this peptide may be performed on an
          ABI 43A peptide synthesizer using readily available
          materials well known to ordinarily skilled artisans

5  <220>
    <221> MOD_RES
    <222> (1)..(1)
    <223> Acetylation

10  <220>
    <221> misc_feature
    <222> (2)..(2)
    <223> D-Aspartic Acid

15
    <400> 2

    Asp Xaa Ile Val Pro Cys
20  1                      5

    <210> 3
    <211> 5
    <212> PRT
25  <213> Artificial Sequence

    <220>
    <223> The synthesis of this peptide may be performed on an
30  ABI 43A peptide synthesizer using readily available
    materials well known to ordinarily skilled artisans

    <400> 3

35  Met Gly Ala Gln His
    1                      5

    <210> 4
    <211> 15
    <212> PRT
40  <213> Artificial Sequence

    <220>
    <223> The synthesis of this peptide may be performed on an
45  ABI 43A peptide synthesizer using readily available
    materials well known to ordinarily skilled artisans

    <400> 4

50  Met Arg Gly Ser His His His His His His Met Gly Ala Gln His
    1                      5                      10                      15

55  <210> 5

```

```

5  <211> 6
    <212> PRT
    <213> Artificial

10 <220>
    <221> misc_feature
    <222> (6)..(6)
    <223> 2-amino-4-penten-boronic acid

15 <400> 5
    Asp Glu Val Val Pro Xaa
    1 5

20 <210> 6
    <211> 5
    <212> PRT
    <213> Artificial Sequence

25 <220>
    <223> The synthesis of this peptide may be performed on an
        ABI 43A peptide synthesizer using readily available
        materials well known to ordinarily skilled artisans

30 <220>
    <221> ACETYLTATION
    <222> (1)..(1)
    <223> Acetylation

35 <220>
    <221> AMIDATION
    <222> (5)..(5)
    <223> para-nitroanaline

40 <400> 6
    Asp Glu Glu Ala Cys
    1 5

45 <210> 7
    <211> 23
    <212> PRT
    <213> Artificial Sequence

50 <220>
    <223> The synthesis of this peptide may be performed on an
        ABI 43A peptide synthesizer using readily available
        materials well known to ordinarily skilled artisans
55

```

<400> 7

5 Lys Lys Gly Ser Val Val Ile Val Gly Arg Ile Val Leu Ser Gly
1 5 10 15

Lys Pro Ala Ile Ile Pro Lys Lys
20

10

<210> 8

<211> 9

15 <212> PRT

<213> Artificial

<220>

<221> ACETYLATION

20 <222> (1)..(1)

<223> acetyl group

<220>

25 <221> MOD_RES

<222> (3)..(3)

<223> Aspartic acid modified with EDANS, 5-[(2'-aminoethyl)amino]naphthylene sulfonic acid

30

<220>

<221> MISC_FEATURE

<222> (6)..(6)

35 <223> 2 amino butyric acid bonded through an ester group

<220>

<221> MOD_RES

<222> (9)..(9)

40 <223> Lysine modified by Dabcyl;
4-[[4'dimethylamino]phenyl]azo]benzoic acid

<400> 8

45

Asp Glu Asp Glu Glu Ala Xaa Ala Ser Lys
1 5 10